




INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6 : H04L 12/00		A2	(11) International Publication Number: WO 99/07106
			(43) International Publication Date: 11 February 1999 (11.02.99)
(21) International Application Number: PCT/US98/14827		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 15 July 1998 (15.07.98)			
(30) Priority Data: 08/903,739 31 July 1997 (31.07.97) US			
(71) Applicant (for all designated States except US): NORTHERN TELECOM LIMITED [CA/CA]; World Trade Center of Montreal, 8th floor, 380 St. Antoine Street West, Montreal, Quebec H2Y 3Y4 (CA).		Published <i>Without international search report and to be republished upon receipt of that report.</i>	
(72) Inventors; and (75) Inventors/Applicants (for US only): LARKINS, John [US/US]; 811 Charter Oak Street, Allen, TX 75002 (US). SHINGLER, Todd [US/US]; 2912 Macao Place, Plano, TX 75075 (US).			
(74) Agent: BOLVIN, Kenneth, W.; Northern Telecom, Patent Dept., P.O. Box 832130, Richardson, TX 75083-2130 (US).			

(54) Title: INTERNET PROFILE MANAGEMENT FOR RADIOTELEPHONE SUBSCRIBERS

(57) Abstract

The system and processes of the present invention enable Internet access to radiotelephone subscriber service profiles in a home location register. The subscriber logs on to a world wide web browser that validates identification information. The subscriber is then presented with various web pages that list the current profile and enable that profile to be changed. The updated profile is transmitted to the home location register for storage.



BEST AVAILABLE COPY

BEST AVAILABLE COPY

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNET PROFILE MANAGEMENT FOR RADIOTELEPHONE SUBSCRIBERS

BACKGROUND OF THE INVENTION

5

I. FIELD OF THE INVENTION

The present invention relates to radiotelephone service. More particularly, the present invention relates to radiotelephone service profile management over the internet.

10

II. DESCRIPTION OF THE RELATED ART

As cellular radiotelephones are reduced in size to make them more convenient for consumers, in some cases, space availability for function keys is eliminated. Therefore, the various functions available through the radiotelephone are accessed through feature codes using the typical telephone keypad. For example, if a subscriber wants to access call forwarding, the function code may be *72.

As the number of features available to the subscriber increases, the management of these features by the subscriber becomes more complex. The subscriber may be paying for ten different features but cannot remember the access codes for all of the features.

Additionally, when a subscriber first subscribes for service through the service provider, an operator for the service provider must be familiar with all of the features available in order to make the subscriber aware of what is available. This requires time and money on the service provider's part to train these operators to sell the services.

There is a previously unforeseen need for a system that enables a subscriber to purchase various radiotelephone features from the service provider. There is also a need for a process to operate this system in an efficient manner.

SUMMARY OF THE INVENTION

The present invention encompasses a radiotelephone system that enables a subscriber to manage his radiotelephone service profile over the internet. The profile is comprised of selectable radiotelephone features
5 that can include call forwarding, call waiting, conference calling, and short message service.

The system is comprised of a home location register database that stores the service profiles of the radiotelephones that are resident in the home location register. In the preferred embodiment, the home location
10 register is coupled, through a computer server, to the internet that enables access to a subscriber's radiotelephone service profile.

The computer server acts as a firewall between the home location register and the internet. This prohibits access to the service profiles by unauthorized users.

15 A mobile switching center, coupled to the home location register, performs the radiotelephone features that have been selected by the subscriber. For example, if the subscriber selects call forwarding, the mobile switching center performs the related tasks to forward the incoming call to another location specified by the radiotelephone
20 subscriber.

An internet access device, coupled to the computer server through the internet, accesses, displays, and selects the various radiotelephone features from the list of available radiotelephone features. In the preferred embodiment, this internet access device is a desktop computer that has a
25 resident internet browser program.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 shows a block diagram of the profile management system of
30 the present invention.

FIG. 2 shows a flowchart for the feature selection process of the present invention.

FIG. 3 shows a block diagram of an alternate embodiment of the profile management system of the present invention.

FIG. 4 shows a profile management login page.

FIG. 5 shows a profile management feature selection page.

5 FIG. 6 shows another profile management feature selection page.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

The processes and system of the present invention enables a
10 radiotelephone subscriber to manage their own cellular radiotelephone service profile with the service provider. Using an internet access device, the subscriber can access his profile over the internet to make changes.

The system of the present invention is illustrated in FIG. 1. This system is comprised of an internet access device (101), a computer acting
15 as a world wide web server device (105), a home location register (HLR) database (110), a mobile switching center (115), and a cell site (120) that includes a base station and antennas.

In the preferred embodiment, the internet access device (101) is a desktop computer running a world wide web access program referred to as
20 a web browser. An example of a computer used in the present invention is one of the APPLE MACINTOSH line of computers. These computers run web browsers such as NETSCAPE NAVIGATOR and MICROSOFT EXPLORER. Other brands and types of computers and other web browsers may be used by the present invention.

25 Alternate embodiments use other types of internet access devices such as dedicated smart terminals that have the ability to access the internet. An example of such a dedicated terminal is a telephone that has a built-in display and web browser giving it the ability to access the internet.

30 In the preferred embodiment, the internet access device (101) is coupled to the world wide web server (105) through the internet. This is done using a modem and connecting to the internet using an internet

service provider. Other embodiments use other connections to the internet such as an ISDN line that provides greater access speed.

The world wide web server (105) is another computer acting in a server mode that is well known in the art. Apple Computer, Inc. and
5 International Business Machines, Inc. (IBM) are manufacturers of dedicated servers. Additionally, a desktop computer operating the proper software may be configured as a server.

The web server (105) acts as a firewall to the HLR (110), limiting access to authorized users who have the proper identification information.
10 In the preferred embodiment, the server (105) performs the processes of the present invention, stores the web pages required by the processes, and sends the selected radiotelephone service features to the HLR (110). The operation of the server (105) is discussed subsequently in conjunction with the processes.

15 The HLR (110) is well known in the art. It is a database of profiles for all of the radiotelephones operating in a particular service provider's system. The profiles include the features purchased by the subscriber and the cellular service plan the subscriber has purchased. The service plan can include the price of the air time and the number of minutes covered by
20 the monthly charge.

The web server (105) and the HLR (110), in the preferred embodiment, are coupled by a provisioning interface. This interface enables the server to transmit the selected service features to the HLR (110) in a standard protocol form or a delimited form such as using a
25 comma, tab, or other delimiter.

An alternate embodiment of the present invention couples the web server (105) and the HLR (110) by other types of interfaces. For example, an IS-41 or ethernet interface could be used, both well known in the art.

The mobile switching center (MSC) (115) is also well known in the
30 art. The MSC (115) is responsible for routing calls from the public switched telephone network (PSTN) to the appropriate cell site (120) communicating with the subscriber's radiotelephone. The MSC (115) also

performs the reverse task of routing a call from the radiotelephone to the PSTN.

The MSC (115) additionally performs the switching required by any of the features selected by the subscriber. Assume, for example, that the subscriber has purchased call forwarding. The subscriber enters into their radiotelephone the telephone number to which all incoming calls are to be forwarded. This information is transmitted to and stored in the HLR. When a call is received for the subscriber's radiotelephone number, the MSC finds the forwarding number in the profile provided by the HLR and routes the call to the PSTN, or other MSCs. The destination depends on the forwarding number.

FIG. 2 illustrates the process followed by the subscriber to manage his profile. This process is described with reference to FIGs. 4-6.

Assuming the web browser program is running, the subscriber accesses the service provider's profile management home page (step 201). An example of such a page is illustrated in FIG. 4. This page is also referred to as the login page.

The home page includes areas for entering subscriber identification information. In the preferred embodiment, this information includes the cellular radiotelephone's assigned telephone number (401) and a passcode (405) known only to the subscriber. This passcode may be numeric, alphabetic, or alphanumeric.

Once the identification information is entered (step 205), the subscriber clicks on the enter key (410). If the information was not entered correctly, the reset key (415) may be used to clear the entries to allow re-entry of the information.

In the preferred embodiment, the identification information is validated (step 210) by the web server. The validation process is accomplished by the server comparing from a table, stored in memory or on a drive, the radiotelephone number with a passcode. If the radiotelephone number and passcode from the table is the same as the

identification information entered by the subscriber, access to the profile management system is granted.

Once access is granted, a window (not shown) within the web page of FIG. 4 announces the successful access. If the radiotelephone number
5 and passcode do not match, this is announced and another chance is given to enter the proper information.

The main profile management page additionally presents the subscriber with a menu of options. After successful access to the system, these buttons are enabled allowing the subscriber to choose an option (step
10 215).

In the preferred embodiment, these buttons are for a Home Page (455), Updating a Profile (420), Request Passcode (425), Try Before U Buy feature (430), Send Short Message (435), Available Features (440), and Help buttons (445 and 450). Not all of these buttons are subsequently
15 discussed since some of the functions are well known by those skilled in the art. Additionally, the present invention is not limited to the buttons/functions shown in FIG. 4. Alternate embodiments have buttons for other functions not illustrated.

As an example of one function, if the "Update Profile" button (420)
20 is activated, the web page illustrated in FIG. 5 is opened. This page shows the present service plan and features to which the subscriber has subscribed. By clicking on the appropriate boxes/buttons with the cursor, the subscriber can change his service plan including: rates, long distance carrier, and access to roaming. Additionally, basic features can be added
25 or removed from the subscriber's profile by activating the appropriate box or button. Alternate embodiments list other features and use different formats.

Some features have sub-functions, as illustrated in FIG.6, that also may be changed by the present invention. For example, if call forwarding
30 is activated, another web page is displayed that illustrates information needed for call forwarding, such as: unsolicited calls received, the telephone is busy, there is no answer by the subscriber. In all of these

cases, the subscriber can alter his profile by simply activating the appropriate button/box.

Another example of a function from the home page is the Try Before U Buy (430) function. This function enables the subscriber to try out a
5 feature or service before being billed for it.

For example, if the subscriber wanted to find out if the call waiting feature would be useful as part of his service, he would activate the Try Before U Buy button (430), illustrated in FIG. 4, that would bring up the same web page illustrated in FIG. 5. The difference is that the features
10 and services are not charged to the subscriber's account for a predetermined time. This time gives the subscriber a chance to try the features before actually purchasing them.

If, after the predetermined time, the subscriber doesn't re-enter the web page and make the new features permanent, the features are turned
15 off. However, if the subscriber desires these features, the web pages can be re-accessed and the features added to the account.

Referring again to FIG. 6, if a mistake is made during the entry of any of the above changes, the subscriber can activate the Reset button (601) to clear out any changes and return to the original profile. Once the
20 subscriber has correctly altered his profile as needed, the Submit button (602) is activated.

Activation of the Submit button (602) informs the web server to format the new profile into the appropriate delimited format. The preferred formatting is done using a protocol. Other embodiments use
25 some type of delimiting such as tabs or semicolons. The profile is then submitted to the HLR over the provisioning interface for storage (step 220) and use by the MSC.

FIG. 3 illustrates an alternate embodiment of the system of the present invention. This embodiment is similar to the preferred
30 embodiment except for the addition of the billing server (301).

In this embodiment, the billing system (301) is a billing server computer that performs a billing process. This process includes tracking

the subscriber's service plan and air time rates, tracking the subscriber's air time, and tracking the features that the subscriber has chosen. All of these factors enter into the bill that the subscriber receives. Therefore, if the subscriber changes his profile, the billing system must know in order
5 to change the billing for the subscriber.

Also in the alternate embodiment of FIG. 3, all of the validation of identification and credit is done by the billing server. Thus, once the subscriber enters the identification data into the login page, this information is sent to the billing system where it is validated.

10 The billing system (301) is coupled to the world wide web server (305) and the HLR (310) by ethernet connections. Other embodiments couple these blocks by other forms of connections, such as radio frequency or microwave, thus allowing the billing system (301) to be removed from the other blocks by greater distances.

15 In summary, the system and processes of the present invention permit radiotelephone service profile management over the internet. This allows the subscriber to update his profile quicker and at any time of the day without operator interaction.

20 **WE CLAIM:**

CLAIMS

1. A radiotelephone system for providing a plurality of selectable radiotelephone service features, configurable by an internet access device, for use by a radiotelephone, the system comprising:

a home location register database comprising a profile of various radiotelephone service features, of the plurality of selectable radiotelephone service features, available to the radiotelephone;

a mobile switching center, coupled to the home location register database, for performing the selected radiotelephone features; and

a server device, coupled between the internet and the home location register database, for limiting access to the radiotelephone system.

2. The system of claim 1 and further including a billing system, coupled to the home location register database and the server device, the billing system tracking the financial information of a radiotelephone subscriber.

3. The system of claim 1 wherein the internet access device is a desktop computer operating with an internet browser.

4. A radiotelephone system for providing a plurality of selectable radiotelephone service features for use by each radiotelephone of a plurality of radiotelephones assigned to that system, the system comprising:

a home location register database comprising a profile of selected radiotelephone service features, of the plurality of radiotelephone service features, that are available to each radiotelephone;

a computer server, coupled between an internet connection and the home location register database, for restricting access to the database from the internet;

10 an internet access device having a display and keypad for accessing, displaying, and selecting the various radiotelephone service features from the
12 plurality of radiotelephone service features;
a billing system server, coupled to the computer server and the home
14 location register database, the billing system server tracking service billing information for the radiotelephone in response to the profile of selected
16 radiotelephone service features; and
a mobile switching center, coupled to the home location register
18 database, for performing the selected radiotelephone service features.

5. A method for managing a radiotelephone service profile comprising
2 selected radiotelephone service features from a plurality of available radiotelephone service features, the method comprising the steps of:
4 connecting, through an internet connection, to a database that stores the plurality of available radiotelephone service features;
6 accessing the plurality of available radiotelephone service features;
selecting a radiotelephone service feature from the plurality of
8 available radiotelephone service features; and
saving the selected radiotelephone service feature in the
10 radiotelephone service profile.

6. The method of claim 5 wherein the step of connecting includes
2 entering a radiotelephone number and a password to verify identification of a subscriber.

7. The method of claim 5 and further including the step of verifying
2 the subscriber's consumer credit information before saving the radiotelephone service profile.

8. A method for managing a radiotelephone service profile comprising
2 selected radiotelephone service features from a plurality of available
radiotelephone service features, the method comprising the steps of:
4 providing an internet page comprising a logging-in of identification
information;
6 verifying validity of the identification information;
providing an internet page comprising the plurality of available
8 radiotelephone service features, each feature being selectable; and
storing the selected radiotelephone service features in the
10 radiotelephone service profile.

9. The method of claim 8 wherein the identification information
2 includes a radiotelephone number assigned to the radiotelephone and a
password.

10. The method of claim 8 wherein the step of providing includes
2 providing a radiotelephone service feature that is a function of a time of day.

11. The method of claim 8 wherein the step of providing includes
2 providing a radiotelephone service feature that permits a temporary service
trial.




FIG. 1




FIG. 2




FIG. 3

Profile Management System

File Edit View Go Bookmarks Options Directory Window Help

Back Forward Home Reload Images Open Print Find Stop

Profile Management System
Sponsored by:

Menu

455 Home
420 Update Profile
425 Request Passcode
430 Try Before U Buy™
435 Send Short Message
440 Available Features
445 Feature Help
450 Help/Support

Profile Management Login

Please type your cellular number and passcode below.
Click on Enter to access your personal profile.

Cellular #: 401
Passcode: 405
410 Enter 415 Reset

FIG. 4

Call Forwarding

Unconditional:	<input type="checkbox"/> activate	<input type="checkbox"/> deactivate	<input type="checkbox"/> time-of-day	Setup TOD Choices
	<input type="checkbox"/> voice mail	<input type="checkbox"/> number		
Busy:	<input type="checkbox"/> activate	<input type="checkbox"/> deactivate	<input type="checkbox"/> time-of-day	Setup TOD Choices
	<input type="checkbox"/> voice mail	<input type="checkbox"/> number		
No Answer:	<input type="checkbox"/> activate	<input type="checkbox"/> deactivate	<input type="checkbox"/> time-of-day	Setup TOD Choices
	<input type="checkbox"/> voice mail	<input type="checkbox"/> number		

Custom Features

- Extension Phone Service: You are not signed-up for this service [Sign-Up Info...](#)
- Distinctive Ringing/Call Block [Configure...](#)

602 SUBMIT 601 Reset

FIG. 6

Welcome Mr. or Mrs.


Your current service options are shown below. Please make changes and then click SUBMIT. You will have a chance to confirm your selections before accepting them. Click [here](#) to see your monthly bill.

Service Plan

Current Billing Option is Corporate Rate 1 ☐

Long Distance Carrier is MCI ☐

Roaming is Fully Enabled ☐



Basic Features

<input checked="" type="checkbox"/> Call Waiting	<input type="checkbox"/> no change	<input type="checkbox"/> REMOVE	<input type="checkbox"/> no change	<input type="checkbox"/> ADD
<input type="checkbox"/> Conference Calling	<input type="checkbox"/> no change	<input type="checkbox"/> ADD	<input type="checkbox"/> no change	<input type="checkbox"/> REMOVE
<input type="checkbox"/> Call Transfer	<input type="checkbox"/> no change	<input type="checkbox"/> ADD	<input checked="" type="checkbox"/> Call Forwarding	<input type="checkbox"/> no change
<input type="checkbox"/> Voice Mail Box	<input type="checkbox"/> no change	<input type="checkbox"/> ADD	<input type="checkbox"/> International Dialing	<input type="checkbox"/> no change
<input type="checkbox"/> Visual Message	<input type="checkbox"/> no change	<input type="checkbox"/> ADD		<input type="checkbox"/> ADD
Waiting Indicator				
<input type="checkbox"/> Caller ID	<input type="checkbox"/> no change	<input type="checkbox"/> ADD	<input type="checkbox"/> Voice-Activated Dialing	<input type="checkbox"/> no change
<input type="checkbox"/> Private Number	<input type="checkbox"/> no change	<input type="checkbox"/> ADD	<input type="checkbox"/> Paging	<input type="checkbox"/> no change

FIG. 5

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau


INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : H04Q 7/22, 7/34		A3	(11) International Publication Number: WO 99/07106
			(43) International Publication Date: 11 February 1999 (11.02.99)
(21) International Application Number: PCT/US98/14827		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).	
(22) International Filing Date: 15 July 1998 (15.07.98)		Published With international search report.	
(30) Priority Data: 08/903,739 31 July 1997 (31.07.97) US		(88) Date of publication of the international search report: 8 April 1999 (08.04.99)	
(71) Applicant (for all designated States except US): NORTHERN TELECOM LIMITED [CA/CA]; World Trade Center of Montreal, 8th floor, 380 St. Antoine Street West, Montreal, Quebec H2Y 3Y4 (CA).			
(72) Inventors; and (75) Inventors/Applicants (for US only): LARKINS, John [US/US]; 811 Charter Oak Street, Allen, TX 75002 (US). SHINGLER, Todd [US/US]; 2912 Macao Place, Plano, TX 75075 (US).			
(74) Agent: BOLVIN, Kenneth, W.; Northern Telecom, Patent Dept., P.O. Box 832130, Richardson, TX 75083-2130 (US).			

(54) Title: INTERNET PROFILE MANAGEMENT FOR RADIOTELEPHONE SUBSCRIBERS

(57) Abstract

The system and processes of the present invention enable Internet access to radiotelephone subscriber service profiles in a home location register. The subscriber logs on to a world wide web browser that validates identification information. The subscriber is then presented with various web pages that list the current profile and enable that profile to be changed. The updated profile is transmitted to the home location register for storage.



FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece			TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	NZ	New Zealand		
CM	Cameroon			PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakhstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 98/14827

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 H04Q7/22 H04Q7/34

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 H04Q H04M

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 95 21509 A (ERICSSON TELEFON AB L M ;GANDILS MATS WERNER (SE); LANTTO SVEN JOE) 10 August 1995 Summary of the invention see page 19, line 10 - line 29 claims	1-9
A	WO 97 23988 A (HARRIS STEPHEN ;BRITISH TELECOMM (GB)) 3 July 1997 see page 2, line 29 - page 4, line 3 see page 10, line 8 - page 12, line 16 see page 17, line 3 - line 30 claims	1-9
P, X	WO 97 44943 A (MATTILA ARI PEKKA ;HALME PETRI (FI); TOEHONEN HARRI (FI); FINLAND) 27 November 1997 see the whole document	5, 8, 9

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

*** Special categories of cited documents :**

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

28 January 1999

Date of mailing of the international search report

05/02/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Dionisi, M

INTERNATIONAL SEARCH REPORT

Inter national Application No

PCT/US 98/14827

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P, X	W0 98 03005 A (EUROPOLITAN AB ;REXEKE JONAS (SE)) 22 January 1998 see page 2, line 12 - line 19 see page 5, line 29 - page 6, line 19 -----	5,6,8,9
E	W0 98 44747 A (ERICSSON TELEFON AB L M) 8 October 1998 see page 1, line 11 - line 16 see page 3, line 11 - line 32 see page 10, line 30 - page 11, line 13 claims 1-4, 8-11 -----	1,5,6,8, 9

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/14827

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 9521509	A	10-08-1995	AU 680347 B	24-07-1997
			AU 1722195 A	21-08-1995
			CN 1123078 A	22-05-1996
			EP 0707777 A	24-04-1996
			FI 954613 A	28-09-1995
			JP 8508869 T	17-09-1996
			SE 9400313 A	02-08-1995
			US 5781858 A	14-07-1998
WO 9723988	A	03-07-1997	AU 1184997 A	17-07-1997
			CA 2238300 A	03-07-1997
			EP 0868808 A	07-10-1998
			NO 982845 A	22-06-1998
WO 9744943	A	27-11-1997	FI 964200 A	22-11-1997
			AU 2900297 A	09-12-1997
WO 9803005	A	22-01-1998	SE 506976 C	09-03-1998
			AU 3712197 A	09-02-1998
			SE 9602765 A	13-01-1998
WO 9844747	A	08-10-1998	AU 6859898 A	22-10-1998

THIS PAGE BLANK (USPTO)

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

THIS PAGE BLANK (USPTO)